





VERIFICATION OF RIVER EMBANKMENT UNDER ANGUL IRRIGATION DIVISION, ANGUL IN ANGUL DISTRICT


Sl No.	Name of Embankment	Name of River/ Saline Embankment	Length of Embankment	Top width	Top RL	Slope	Village	Block	Constituency	District	Observation of the officer during verification of Embankment	Remarks
1	O.A.E near village Belpunji	River Mahanadi Left	1.87KM	3Mtr	51.00	1.5 : 1	Belpunji	Athamallik	Athamallik	Angul	Inspected by 1)Deputy Executive Engineer, Derjang Aunli Subdivision, 2) Asst Engineer, 3)Tahasildar, Athamallik Tahasil, Athamallik and local people at the site and it was observed that the embankment is in good condition. There was discussion with local people about stone pitching work which has been completed in the year 2020-21 and another proposal for strengthening of the said embankment has been approved by TAC and will be taken up soon.	Embankment is in good condition


Assistant Engineer
Derjang Aunli Sub Division
Angul


Sub Divisional Officer
Derjang Aunli Sub Division
Angul


Tahasildar
Athamallik Tahasil,
Athamallik



Executive Engineer
Angul Irrigation Division
Angul


Superintending Engineer
Angul Irrigation Circle
Angul



Collector & District Magistrate
ANGUL

B. Pre-monsoon verification of flood embankment to ascertain the health status of embankment was taken up jointly by officials of DOWR and Revenue from 16.04.2021 to 20.04.2021. The consolidated status of embankment is as follows:

Sl. No.	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
1	O.A.E at Sankulei	2.00	Sankulei	Dhenkanal	Dhenkanal Sadar	Kamakhyanager	Dhenkanal	E.E.Angul Irrigation Divn.,A.E.E Flood Sub- division, Kamakhyanager, J.E Dhenkanal Section & revenue officials of Dhenkanal Sadar Tahasil on 16.04.2021 and observed that the embankment is in good condition.	
2	O.A.E from Sankulei to Nagenahill	5.03	Sankulei	Dhenkanal	Dhenkanal Sadar	Kamakhyanager	Dhenkanal	Executive Engineer.A.I.Divn.,A.E.E Flood Sub- division, Kamakhyanager, J.E. Dhenkanal Section & revenue officials of Dhenkanal Sadar Tahasil on 16.04.2021 and observed that the embankment is good.	Watch ward is necessary during high flood and sand bags laying required in ramp as the T.B.L is low.
3	O.A.E from Nagenahill to Badajore mouth.	7.05	Nagena	Dhenkanal	Dhenkanal Sadar	Kamakhyanager	Dhenkanal	Executive Engineer A.I.Divn.,A.E.E Flood Sub- division, Kamakhyanager,J.E. Dhenkanal Section & revenue staff of Dhenkanal Sadar Tahasil on 16.04.2021 and observed that the health of embankment is satisfactory.	



12.04.2021
Junior Engineer
Flood Section, Dhenkanal


15/4/21
Assistant Executive Engineer
Kamakhyanager Flood Sub-Divn


20/4/21
Executive Engineer
Angul Irrigation Division
Angul


13.04.2021
REVENUE INSPECTOR
KANKADAPAL



19/04/21
Tahasildar
Dhenkanal
Tahasildar
DHENKANAI


19.4.2021
Superintending Engineer,
Angul Irrigation Circle, Angul



	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
4	C.E from Kantio to Kotogara	2.5	Kotagara	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E. A.I. Divn. Angul with A.E.E. Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue officilas of Kamakshyanagar Tahasil at the site on 19.04.2021 and observed that the present health status of embankment is good.	
5	C.E from Kotogara to Kamagara	3.9	Kotagara	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.Angul Irr.Divn. With A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil on 19.05.2021 and observed that the present health status embankment is good.	
6	C.E at Kamagara	0.2	Kamagara	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.Angul Irr.Divn. along with A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil on 19.04.2021 and observed that the present health condition of embankment is good.	
7	C.E from Kamagara to Jhagadapada	3.9	Kamagara	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.Angul Irr.Divn.along with A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil on 19.04.2021 and observed that the embankment is good.	Watch ward is necessary during high flood and sand bags laying required.
8	C.E from Jhagadapada to Kateni	2.35	Jhagadpada	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.Angul Irr.Divn.along with A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil on 19.04.2021 and observed that the embankment is good.	
9	C.E from Rankia to Dighi	3.9	Rankia	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.A.I.D. Angul, A.E.E Flood sub-division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil at the site on 20.04.2021 and observed that the embankment is good.	

	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
10	C.E at Rankia	3	Rankia	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.A.I.D. Angul, A.E.E Flood sub-division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil at the site on 20.04.2021 and observed that the health status of embankment is good.	
11	C.E from Kateni to Budhibil	4	Sogar Kateni	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.A.I.D. Angul, A.E.E Flood sub-division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil at the site on 20.04.2021 and observed that the present condition of embankment is good.	
12	C.E from Saradhapur to Badabilla	1.5	Saradhapur	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
13	C.E from Alutuma to Rekula	3.9	Alutuma	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
14	C.E from Kadua to Saruali	4	Kadua	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberani Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
15	C.E from Rekula to Tentulisinga	2.7	Rekula	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	

	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
16	C.E from Tentulisinga to Baligorada and Balogorada to Mohapatiajore.	6.7	Tentulisinga	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
17	C.E from Jagannathpur to Badura	1.5	Jagannathpur	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Anlaberini Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
18	C.E. from Badura to Sanberhampur	1.26	Badura	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	
19	C.E from Sanaberhampur to Badaberhampur	3.24	Sana barehampur	K.Nagar	K.Nagar	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub-division, Kamakshyanagar, A.E.Anlaberini Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the condition of embankment is good.	
20	O.A.E at Balisahi	0.90	Balisahi	K.Nagar	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E. A.I.D. Angul, A.E.E Flood sub-division, Kamakshyanagar and A.E. Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil at the site on 20.04.2021 and observed that the present health status of the embankment is good.	
21	C.E. from Arasahi to Origaon	1.30	Arasahi	K.Nagar	Bhuban	K.Nagar	Dhenkanal	Inspected by E. E. Angul Irr. Division, Angul along with A.E.E Flood sub- division, Kamakshyanagar, A.E Kamakshyanagar Section & revenue staff of Kamakshyanagar Tahasil on 20.04.2021 and observed that the embankment is good.	



 20/4/21
 Assistant Engineer
 Kamakshyanagar Section


 Assistant Executive Engineer
 Kamakshyanagar Flood Sub-Divn



 20/4/21
 Tahasildar
 Kamakshyanagar


Executive Engineer


Angul Irrigation Division, Angul


 Superintending Engineer,
 Angul Irrigation Circle, Angul


	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
22	O.A.E at Dhalpur	2.20	Dhalpur	Odapada	Odapada	Hindol	Dhenkanal	Inspected by A.E.E Flood sub- division, Kamakshyanagar along with J.E Dhenkanal Section & revenue staff of Odapada Tahasil at the site on 16.04.2021 and observed that the present status embankment is satisfactory.	
23	O.A.E at Chanchha ghai	2.50	Gundei	Odapada	Odapada	Hindol	Dhenkanal	Inspected by A.E.E Flood sub- division, Kamakshyanagar along with J.E Dhenkanal Section & revenue staff of Odapada Tahasil at the site on 16.04.2021 and observed that the present status embankment is satisfactory.	
24	O.A.E at Baulpur	1.00	Baulpur	Odapada	Odapada	Hindol	Dhenkanal	Inspected by A.E.E Flood sub- division, Kamakshyanagar along with J.E Dhenkanal Section & revenue staff of Odapada Tahasil at the site on 16.04.2021 and observed that the present status embankment is satisfactory.	


 16/04/21
 Junior Engineer
 Flood Section, Dhenkanal


 16/4/21
 Assistant Executive Engineer
 Kamakshyanagar Flood Sub-Divn



 16/4/21
 Executive Engineer
 Angul Irrigation Division
 Angul



 20.04.2021
 Tahasildar
 Odapada
**TAHASILDAK
 ODAPADA**


 21/4/2021
 Superintending Engineer,
 Angul Irrigation Circle, Angul

	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
25	O.A.E at Latadeipur.	1.3	Latadeipur	Gondia	Gondia	Dhenkanal	Dhenkanal	Inspected by A.E.E Flood sub- division, Kamakshyanagar along with J.E. Dhenkanal Section & revenue staff of Deopada ^{Gondia} Tahasil at the site on 16.04.2021 and observed that the present status embankment is satisfactory.	Satisfactory
26	O.A.E at Hanumantia ghai	0.52	Makundapur	Gondia	Gondia	Dhenkanal	Dhenkanal	Inspected by A.E.E Flood sub- division, Kamakshyanagar along with J.E. Dhenkanal Section & revenue staff of Deopada ^{Gondia} Tahasil at the site on 16.04.2021 and observed that the present status embankment is satisfactory.	Satisfactory

Junior Engineer
Flood Section, Dhenkanal



16/4/21
Assistant Executive Engineer
Kamakshyanagar Flood Sub-Divn


16/4/21
Executive Engineer
Angul Irrigation Division
Angul


19/4/21
Revenue Inspector
JORANDA


19/4/21
Tahasildar
Gondia
**TAHASILDAR
GONDIA**



19/4/21
Revenue Inspector
BAINSA


16/4/2021
Superintending Engineer,
Angul Irrigation Circle, Angul

	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
27	C.E from Origoan to Khantakhol	4.40	Mathakaragola	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E. A.I.D. Angul, A.E.E Flood sub- division, Kamakshyanagar and A.E Kamakshyanagar Section & revenue staff of Bhuban Tahasil at the site on 17.04.2021 and observed that the status of embankment is satisfactory.	
28	C.E from Arkhupal to Jineilo	0.60	Arakhpal	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub- division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Bhuban Tahasil on 17.04.2021 and observed that the present health status of embankment is good.	
29	C.E at Jineilo.	0.70	Jineilo	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub- division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Bhuban Tahasil on 17.04.2021 and observed that the embankment is in good condition.	
30	C.E from Jineilo to Odhana	2.12	Jineilo	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub- division, Kamakshyanagar and A.E Anlaberani Section & revenue staff of Bhuban Tahasil on 17.04.2021 and observed that the condition of embankment is good.	
31	C.E from Khantakhol to Krushnapur	4.30	Khantakhol	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub- division, Kamakshyanagar and A.E.Kamakshyanagar Section & revenue officials of Bhuban Tahasil on 17.04.2021 and observed that the embankment is good.	
32	C.E from Chandipal to Mahulpal	4.27	Bhusal	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E.A.I.Divn.,A.E.E Flood sub- division, Kamakshyanagar and A.E.Kamakshyanagar Section & revenue staff of Bhuban Tahasil on 17.04.2021 and observed that the embankment is good.	Watch ward is necessary during flood and sand bags laying required.
33	C.E At Mahulpal	1.15	Mahulpal	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E. A.I.D. Angul, A.E.E Flood sub- division, Kamakshyanagar and A.E. Kamakshyanagar Section & revenue officials of Bhuban Tahasil at the site on 17.04.2021 and observed that the embankment is good.	

No.	Name of River/Saline Embankment	Length in KM.	Village	Tahasil	Block	Constituency	District	Observation of Officers during verification of embankment	Remarks
34	T.R.E at Rendapatana	1.10	Rendapatana	Bhuban	Bhuban	K.Nagar	Dhenkanal	Inspected by E.E. A.I.D. Angul, A.E.E Flood sub- division, Kamakshyanagar and A.E. Kamakshyanagar Section & revenue staff of Bhuban Tahasil at the site on 17.04.2021 and observed that the present condition of embankment is good.	


 Assistant Engineer
 Flood Section
 Anlaberani.


 Assistant Executive Engineer
 Kamakshyanagar Flood Sub-Divn



 Executive Engineer
 Angul Irrigation Division
 Angul


 Tahasildar
 Bhuban


 Superintending Engineer,
 Angul Irrigation Circle, Angul

Inspected F.P. signposts
 at sl. no. 7, 9, 10, 14 & 16
 found to be in safe condition.


 3/05
 COLLECTOR
 DHENKANAL


 29/04/2021
 Chief Engineer & Basin Manager
 Brahmani Basin
 Samal