

OFFICE OF THE ENGINEER-IN-CHIEF,  
WATER RESOURCES, ODISHA, BHUBANESWAR.

\*\*\*\*\*

No. JBT-Allot-(P.E)-10/2019-

25/42/WE /Dated, the 29.08.19

From

Sri P. K Jena

FA& Chief Accounts officer.

To

The Executive Engineer,

Quality Control Divn, Bhubaneswar / Q.C Divn, Cuttack / Q.C Divn, Berhampur / Q.C Divn, Bhadrak / Q.C Divn, Nayagada / Q.C Divn, Baripada / Q.C Divn, Bhawanipatna / Q.C Divn, Keonjhar / Q.C Divn, Rayagada / CRO, Hirakud Research Station, Hirakud

Sub:

Distribution of Allotment under Demand No-20-4701-COL on Medium Irrigation-Programme Expenditure-State Sector Scheme- State Sector- 80-General-800-Other Expenditure-2345-Other Plan Programme for Medium Irrigation-37263-Modernisation of Q.C Laboratory during the year 2019-2020.

Ref: - Letter no-2304/WE dated 20.8.2019 of CE, Q.C & Research, BBSR.

Sir,

In inviting a reference to the letter cited on the above subject, I am to communicate herewith the distribution of allotment of TRs. 14950 (Rupees One Crore Forty Nine lakh Fifty Thousand ) only under the above noted head of accounts to meet expenses for approved activities under Modernization of Q.C Laboratory during 2019-2020.

You are requested to incur the expenditure by observing all the codal procedure and existing norms of the Government limiting to the allotment now communicated.

Encl: - As above

Yours faithfully,

Memo No.

25/43/WE /Dated, the 29.08.19  
Copy submitted to F.A-cum-Additional Secretary to Govt., Department of Water Resources / A.G(A&E) Odisha, Bhubaneswar / Sr. DAG(Works), Puri for information.

Encl: - As above

Memo No.

25/44/WE /Dated, the 29.08.19  
Copy submitted to the Chief Engineer, Quality Control & Research, Bhubaneswar for information and necessary action with reference to his letter under reference.

Encl: - As above

Memo No.

25/45/WE /Dated, the 29.08.19  
Copy forwarded to the Director, Research & Quality Control, Burla / Director, Research & Q.C, BBSR / Director, Monitoring & Evaluation / Accounts Officer / Section Officer, Budget & Accounts Branch-II / III / Guard file 2 copies for information.

Encl: - As above

FA& Chief Accounts officer

RRS/mx  
29/8/19

DD/MIS  
29/8

**Distribution of allotment under Demand No.20-4701-Capital Outlay on Medium Irrigation –Proramme Expenditure-State Sector Scheme-State Sector-80-General-800 Other Expenditure-2345-Other Plan Programme for Medium Irrigation during 2019-2020.**

In Trs.

| <b>Sub</b>   | <b>Detail</b> | <b>Description</b>                          | <b>Name of the Division</b>        | <b>Allotment</b> | <b>Progressive Allotment</b> |
|--|---------------|---|------------------------------------|------------------|------------------------------|
| <b>1</b>   | <b>2</b>      |   | <b>3</b>                           | <b>5</b>         | <b>8</b>                     |
| 2345   | 37263         | Modernization of Quality Control Laboratory | Quality Control Divn, Bhubaneswar  | 1500             | 1500                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Cuttack      | 2000             | 2000                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Berhampur    | 1500             | 1500                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Bhadrak      | 1900             | 1900                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Nayagada     | 600              | 600                          |
| 2345   | 37263         | -do-  | Quality Control Divn, Baripada     | 1000             | 1000                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Bhawanipatna | 1500             | 1500                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Keonjhar     | 1500             | 1500                         |
| 2345   | 37263         | -do-  | Quality Control Divn, Rayagada     | 1000             | 1000                         |
| 2345   | 37263         | -do-  | CRO, Hirakud Research Station      | 2450             | 2450                         |
| <b>Total-Modernization of Quality Control Laboratory</b> |               |   |                                    | <b>14950</b>     | <b>14950</b>                 |

  
 FA & Chief Accounts officer