

OFFICE OF THE SUPERINTENDING ENGINEER
JARAKA IRRIGATION DIVISION, JARAKA, JAJPUR
TEL. NO: 06725-283069, E-Mail – eeidjaraka@yahoo.com

To

No. 1556 / Date 5/5/22
W.P.

The Engineer-in-Chief,
Water Resources, Bhubaneswar

Sub: Submission of Health Status of river Embankments

Ref: Circular No.8131 Dt.04.04.2022

Sir,

In inviting a kind reference to the subject cited above, it is to submit herewith the Health Status of different embankments of different rivers for 2022 pertaining to Jaraka Irrigation Division duly countersigned by Collector & District Magistrate, Jajpur for favour of kind information and necessary action at your end.

Encls - as above

Yours faithfully,

W.P.
5/5/22
Superintending Engineer
Jaraka Irrigation Division, Jaraka

Memo. No / Date

Copy submitted to Chief Engineer, Mahanadi, Brahmani & Baitarani System, Chandikhole / Addl. Chief Engineer, Eastern Circle-II, Chandikhole for information and necessary action.

Encls as above

Superintending Engineer
Jaraka Irrigation Division, Jaraka



**GOVERNMENT OF ODISHA
DEPARTMENT OF WATER RESOURCES**

**EMBANKMENT HEALTH STATUS
OF
JARAKA IRRIGATION DIVISION
JARAKA-2022**

**Superintending Engineer,
Jaraka Irrigation Division,
Jaraka.**

ABSTRACT OF EMBANKMENT

Sl.No.	Category	Length (in km)
1	CAPITAL EMBANKMENT	41.130
2	O.A.E.	126.988
3	T.R.E.	181.441
	TOTAL	349.559


Superintending Engineer
Jaraka Irrigation Division

EMBANKMENT HEALTH STATUS OF JARAKA IRRIGATION DIVISION-2022

DETAILS STATUS OF THE EXISTING RIVER/ SALINE EMBANKMENT

Sl. No.	Name of the Embankment	Category of the Embankment (in km)				Length in Km.	Name of the Basin	Name of the River	District	Reach	Status of the Embankment (Reach wise)							Brief description about deficiency in parameters.
		C.E.	O.A.E.	T.R.E.	S.E.						TBL 'm'	Side Slope	Top width 'm'	Revetment Packing 'm' with location	Spur/Bedbar In Nos. with location			
1	Bedapur to Serpur			5.40		5.40	Brahmani	Brahmani	Jaipur		19.40	1.5:1	5.00	00 to 200 M, 4300 to 5400 M				
2	Serpur OAE		3.40			3.40	Brahmani	Brahmani	Jaipur		17.47	1.5:1	5.00	900 M to 3300 M				
3	Mandaghai OAE		4.80			4.80	Kelua	Kelua	Jaipur	00 to 2900 M	19.40	1.5:1	5.80	1800 to 2100 M	2.Nos Bedbar	Bedbars required renovation		
4	Alishapatna Rahapada			3.80		3.80	Kelua	Kelua	Jaipur	2900 to 4800 M	17.20		4.80	3000 to 3500				
5	Rahapada Mohanpur		5.497			5.497	Kelua	Kelua	Jaipur	00 to 2000 M	17.22	1.5:1	6.50	1500 to 2000			Free board < 1.2 M	
										2000 to 3800 M	16.8		6.50					
6	Kaitha TRE on Brahmani left		1.60			1.60	Brahmani	Brahmani	Jaipur	00 to 1000 M	16.1	1.5:1	6.50	900 to 1000	4 Nos. bed bar near	Free board < 1.2 M		
										1000 to 4000 M	16.5		6.50	Arabal				
7	Gopalpur Gherry		2.10			2.10	Brahmani	Brahmani	Jaipur	4000 to 5497 M	15.62 to 15.30		6.50	4000 to 4300		Free board < 1.2 M		
										00 to 1.60 Km.	24.2	1.5:1	6.00					
8	C.E No. 26 (A)		5.26			5.26	Kelua	Kelua	Jaipur		18.6	1.5:1	7.00	900 M from RD 2.50 Km. to 3.40 Km.	Spur 3 Nos. At RD 2.50 Km., 2.61 Km. & 2.72 Km.			
9	Brudhalinga Majhipada OAE		9.40			9.40	Brahmani	Kelua	Jaipur	00 to 6 Km. 6 to 9.4 Km.	17.8	1.5:1	6.00	500 m from RD 3.10 to 3.60 Km.				
10	Patilo Mundamal OAE		2.56			2.56	Mahanadi	Genguti	Jaipur		16.20	1.5:1	4.00	300 M from RD 1.90 Km. 2.20 Km.				
11	Nasidpur Hamzapur TRE		2.50			2.50	Brahmani	Sagadia Nalla	Jaipur	00 to 1.50 Km.	11.5	1.5:1	7.00	1300 M from 00 to 1360 M				
										1.50 Km. to 2.50 Km.	11.35	1.5:1	4.00					

12	Bhagabanpur Gherry		5.40	5.40	Brahmani	Kelua	Jajpur	00 to 3.4 Km.	16.00	1.5:1	5.50	Launching apron with packing 1078 M. to 1705 M.		
								3.4 to 4.5	16.00	1.5:1	5.00			
								4.50 to 5.4	15.20	1.5:1	4.00			
13	Mataganjar Gherry		0.50	0.50	Brahmani	Brahmani	Jajpur		21.00	1:1.5	3.00	500 (from RD 00 to 500 M both side)	4 Nos. (at RD 270 M, 370 M, 460 M & 540 M)	
14	Khapara Nallah		1.50	1.50	Brahmani	Khapar Nallah	Jajpur		21.20	1:1.5	3.60	200 M to 1450 M.		
15	Birbati TRE		2.10	2.10	Brahmani	Kuanria	Jajpur		20.30	1:1.5	2.00	600 M (right river side- 00- 600 m)		Raising & strengthening with launching & packing required.
16	Baunsa Nallah		0.85	0.85	Brahmani	Baunsa Nallah	Jajpur		21.50	1:1.5	6.50	300 both side		
17	Chakua - Marthapur OAE	-	5.05	5.05	Brahmani	Patia	Jajpur	00 to 1.00km	25.4	2:1	6.00	RD 00 to 2700 mtr From Chakua to brahman gaon	1 One no old spur at RD 1300 Mtr near Jalaka	All the spurs requires renovation with repacking of existing spurs.
								1.00 to 2.00 km	24.83	2:1	6.00			
								2.00 to 3.00 km	24.51	1.5 : 1	6.00			
								3.00 to 4.00 km	23.97	1.5 : 1	6.00			
								4.00 to 5.05 km	22.23	1.5 : 1	6.00			
18	CE No - 13A on Ganda Left	4.90	-	4.90	Brahmani	Ganda Nallah	Jajpur	00 to 1.00km	23.85	2:1	8.00	00 to 250 mtr Near jokadia, 500 to 1000 mtr near Jagatpur, 2200 to 2300 mtr near Nell hari		
								1.00 to 2.00 km	23.60	2:1	8.00			
								2.00 to 3.00 km	23.36	2:1	8.00			
								3.00 to 4.00 km	23.47	2:1	8.00			
								4.00 to 4.90 km	22.66	2:1	8.00			

19	Pahanga OAE	-	0.804	-	-	0.804	Brahmani	Kharasuan	Jaipur	00 to 0.804 Km.	21.3	1.5 : 1	4.50	120m packing 300m to 420m 200m on progress	-	
20	HLC Range - II (Right Bank)	Flood Embankment	11.00	-	-	11	Brahmani	Kharasuan	Jaipur	00 to 2.00km	21.9	1.5 : 1	5.00	-		
										2.00 to 4.00 km	21.37	1.5 : 1	5.00			
										4.00 to 6.00 km	20.22	1.5 : 1	5.00			
										6.00 to 7.00 km	20.00	1.5 : 1	5.00			
										7.00 to 8.20 km	17.73	1.5 : 1	5.00			
21	Santarapur TRE on Brahmani left					0.402	Brahmani	Brahmani	Jaipur	00 TO 0.402 Km	22.5	1.5 : 1	3.00			
										22	Routarapur Gherry	1.00	Brahmani			
23	CE No - 27A on Br. Right	16.89	-	-	-	16.89	Brahmani	Brahmani	Jaipur	00 to 2.70km	29.15 to 28.10	1.5 : 1	7.00	0.75 to 1.15 Km. (1.65 to 2.70 Km. 1450 M)		
										2.70 Km to 8km	28.10 to 25.60	1.5 : 1	5.00			
										8km to 12km	25.60 to 24.85	1.5 : 1	5.00			
										12km to 16.89km	24.85 to 23.30	1.5 : 1	5.00			
24	Marginal Embankment	-	-	-	-	12.07	Brahmani	Brahmani	Jaipur	00 to 12.07km	23.00 to 20.18	1.5 : 1	7.00	-		
										25	Pankapal TRE	1.22	Brahmani			
26	Hatibari TRE	-	-	-	-	1.70	Brahmani	Brahmani	Jaipur	00 to 1.70 Km	25.50	1.5 : 1	5.00	500M (RD - 850M to 1350M)	-	
										27	CE No - 17A on Patia Right	04.50	Brahmani			

28	Jabra Escape embankment on Br. Left	-	1.20	-	-	1.20	Brahmani	Brahmani	Jaipur	00 to 1.20Km	23.18	1.5 : 1	5.00	900M (RD - to 900M)	-	
29	OAE No - 188 on Br. Left	-	16.00	-	-	16.00	Brahmani	Brahmani	Jaipur	00 to 4Km	23.60 to 23.20	1.5 : 1	5.00	1200M (RD - 2.40Km to 3.60Km)	-	
										4km to 8km	23.20 to 22.30	1.5 : 1	5.00	600M (Near RD 5km to 5.40 & 7km to 7.20Km)	-	
										8km to 16 Km	22.30 to 20.10	1.5 : 1	5.00	600M (Near RD 5km to 5.40 & 7km to 7.20Km)	-	
30	Sribantapur - Khanditara OAE	-	10.47	-	-	10.47	Brahmani	Kharasuan	Jaipur	00 to 10.47Km	22.40 to 20.10	1.5 : 1	6.00	1300M (RD - 0.78Km to 2.08Km)	-	
31	Nanganu- Sanatrichanpur TRE on Chhinda-Kharasuan	-	10.89	-	-	10.89	Brahmani	Kharasuan	Jaipur	00 to 5Km	21.10 to 20.60	1.5 : 1	3.00	-	-	
										5km to 8km	20.60 to 20.05	1.5 : 1	3.00	-	-	
										8km to 10.89 Km	20.05 to 19.65	1.5 : 1	2.50	-	-	
32	Khanditara OAE	-	1.00	-	-	1.00	Brahmani	Kharasuan	Jaipur	00 to 1.00Km	22.35 to 21.90	1.5 : 1	5.00	-	-	
33	Paikarapur Gherry on Brahmani left	-	2.00	-	-	2.00	Brahmani	Brahmani	Jaipur	00 to 2.00 Km	20.35 to 20.10	1.5 : 1	2.80	500M (RD - 500M to 1000M)	-	
34	Kakudikuda Rudrapur TRE	-	6.23	-	-	6.23	Brahmani	Brahmani	Jaipur	RD 00 to RD 1.0 K m	16.48 to 16.18	1.5:1	5.50	288M (RD - 00M to 288M)	-	Launching packing near Golakund for a length of 200 M due to river closed to embankment.
										RD 1 km to RD2.0 K m	16.18 to 15.88	1.5:1	5.00	1.50 to 1.70Km		
										RD 2 km to RD3.0 K m	15.88 to 15.58	1.5:1	5.00	250M near Mendha Harjansahi		
										RD 3 km to RD4.0 K m	15.58 to 15.28	1.5:1	5.00	RD 3000 m to RD3200 m =200 m		
										RD 4 km to RD5.0 K m	15.28 to 14.98	1.5:1	5.00	RD 4800 to RD 5000 m =200 m		
										RD 5 km to RD6.23 K m	14.98 to 14.68	1.5:1	4.00 to 5.50	500M (4.600 to 5.100Km)		
35	Udaypur OAE	-	2.00	-	-	2.00	Brahmani	Brahmani	Jaipur	RD 00 to RD 1 km	14.67 to 14.37	1.5:1	4.00 to 5.50	RD 00 to RD 715 m =715 m	7	

39	Chandrasekharpur Anyaspur OAE	6.16	6.16	Brahmani	Brahmani	Jajpur	RD 1 km to RD2.0 K m	11.94 to 11.74	1.5:1	5.00 to 5.50	(0.50 to 0.950km)450m	Damage Old spur	Renovation of spurs required
							RD 2 km to RD3.0 K m	11.74 to 11.54	1.5:1	3 to 5.5	RD 2100 to RD 2150 m =50 m		
							RD 3 km to RD 5.14 K m	11.54 to 11.22	1.5:1	3.6 to 4.5			
							RD 00 to RD 1.0 K m	11.22 to 11.12	1.5:1	5 to 5.5			
40	OAE 20 B	2.00	2.00	Brahmani	Brahmani	Jajpur	RD 1 km to RD2.00 K m	10.52 to 10.42	1.5:1	4.00		Dumping & packing at RD 1.20 Km. for a length of 200 M due to river closed to embankment.	
							RD 00 to RD 1.0 K m	10.62 to 10.52	1.5:1	4.00	RD 1900 to RD 2040 m=140 m		
							RD 5 km to RD6.16 K m	10.72 to 10.62	1.5:1	5 to 5.5			
							RD 4 km to RD5.0 K m	10.82 to 10.72	1.5:1	5 to 5.5			
41	OAE 21 B	2.00	2.00	Brahmani	Brahmani	Jajpur	RD 1 km to RD2.00 K m	10.42 to 10.32	1.5:1	4.00 to 5.00		0	
							RD 1 km to RD2.00 K m	10.32 to 10.22	1.5:1	5.00 to 5.50	RD 1700 to RD 2000m=300 m		
							RD 00 to RD 1.0 K m	18.48 to 18.18	1.5:1	5.00	RD 290 to RD 490 m =200 m		
							RD 1 km to RD2.00 K m	17.88 to 17.88	1.5:1	5.00	RD 200 (2.20 to 2.40km)		
42	OAE 16B	3.53	3.53	Kharasuan	Kharasuan	Jajpur	RD 2 km to RD3.530 K m	17.88 to 17.41	1.5:1	5.00	RD 2900 to RD 3050 m =150 m	0	
							RD 00 to RD 1.0 K m	17.41 to 17.21	1.5:1	5.00			
							RD 1 km to RD2.00 K m	17.41 to 17.21	1.5:1	5.00			
							RD 00 to RD 1.0 K m	17.41 to 17.21	1.5:1	5.00			
43	OAE 15 B	7.74	7.74	Kharasuan	Kharasuan	Jajpur	RD 00 to RD 1.0 K m	17.41 to 17.21	1.5:1	5.00	RD 00 to RD 100 m =100 m		
							RD 00 to RD 1.0 K m	17.41 to 17.21	1.5:1	5.00			

52	Karanimala TRE				2.1				2.1	Brahmani	Dudhei	Jajpur	RD 00 to 1 km	11.5 to 11.4	1.5:1	3.60 to 4.00	RD250 to RD 550 m=300m		
53	Baliapala bodua TRE				1.2				1.2	Brahmani	Dudhei	Jajpur	RD 00 to 2 km	11.4 to 11.3	1.5:1	3.60 to 4.00			
54	Karasahi Gherry				1.00				1.00	Brahmani	Kharasuan	Jajpur	RD 00 to 1.20 km	12 to 11.5 m	1.5:1	4.50	RD100 to RD 500 m=400m		
55	Kacherigaon Gherry				1.87				1.87		Kharasuan	Jajpur	RD 00 to 1 km	18.01	1.5:1	2.00			
56	Kadambinipala college Gherry on Br. Left				0.6				0.6	Brahmani	Brahmani	Jajpur	RD 00 to 1.87 km	16.8	1.5:1	3.50	150 m		
57	Serapur Sahapada				3.86				3.86	Brahmani	Brahmani	Jajpur	RD 00 to 0.6 km	11.5	1.5:1	2.00	100 m		
58	OAE No. 18 (B) 16 to 24 Km.				8.00				8.00	Brahmani	Brahmani	Jajpur	00 to 1400 m	15.90	1.5:1	5.50			
59	Hatasahi Ganesapatna Gherry				2.25				2.25	Brahmani	Brahmani	Jajpur	1400 to 3800 M	15.60	1.5:1	2.50			Raising & strengthening required
60	Samantarapur Gherry				0.82				0.82	Brahmani	Brahmani	Jajpur		16.37	1.5:1	3.00	200 M from RD 300 to 500 M.		Raising & strengthening
61	Birahampur Kakudikuda TRE				6.338				6.338	Brahmani	Brahmani	Jajpur	00 TO 2.40 Km.	16.8	1.5:1	5.00	200 M.		
												Jajpur	2.40 to 3.60 Km.	16.1	1:1	2.50			
												Jajpur	3.60 to 6.338 Km.	16.7	1.5:1	5.00			
62	Sahapada OAE on 23B				2.82				2.82	Brahmani	Brahmani	Jajpur	00 to 1.80 Km.	15.50	1.5:1	6.00	1700 to 2050 M, 350 M	3 Nos., at RD 900 M, 1600 M & 2000 M	
												Jajpur	1.80 to 2.00 Km.	15.30	1.5:1	6.00	0.80 to 2.00 Km. - 1200 M		
												Jajpur	2.20 to 2.82 Km.	15.20	1.5:1	6.00			
63	Bandhaditha Gherry				0.57				0.57	Brahmani	Brahmani	Jajpur	45 to 480 M	14.20	1.5:1	3.00	45 to 480 M - 435 M.		
64	Mendha - Sunia TRE				3.00				3.00	Brahmani	Brahmani	Jajpur	00 to 3 Km.	15.00	1.5:1	4.50			
65	Khairpada - Mayapada				3.00				3.00	Brahmani	Brahmani	Jajpur	00 to 2.00km	14.50	1.5:1	5.50	200 to 250 & 500 M, 1000 M & 1600 M to 1800 - 750 M.		

Khairpada - Mayapada									2.00 to 3.00 Km	14.25	1.5:1	4.50		5 Nos. Spur RD 550m, 640m, 750m, 850m & 910m	Embkt. Widening required
									00 to 4.70 Km.	13.75 to 13.45	1.5:1	4.50		4 Nos. at RD 750 M, 1450 M, 2100 M & 2800 M.	Embkt. Widening required
Mayapada - Mirzapur			8.000	8.000	Brahmani	Brahmani	Jajpur		4.70 to 5.80 Km.	10.80	1:01	2.50			Village area required raising with C.C. road
									5.80 to 6.80 Km.	11.40	1:1	3.50		Raising & Strengthening could not be executed due to land dispute	
67	Serapur Mahakapada OAE		7.25	7.25	Brahmani	Brahmani	Jajpur		6.80 to 7.40 Km.	11.60	1.5:1	4.50			Raising & strengthening required
									7.40 to 8.00 Km.	11.40	1.5:1	3.00		-do-	
68	Mohampur Balikuda TRE		3.71	3.71	Brahmani	Kelua	Jajpur		0.0 to 1.00 Km.	15.10	1.5:1	5.50	150 M from RD 300 to 450 M Km.		
									1.00 to 2.00 Km.	14.85	1.5:1	5.00			
									2.00 to 3.00 Km.	14.65	1.5:1	4.00	400 M. from 2200 M. to 2600 M. Launching & package	One near Tarini Temple 3 Nos. under construction 2340 M. to 2,00 to 3,00 Km. & 5 Nos. spur M	Embankment packing required for a length of 1000 M from RD 2,00 to 3,00 Km. & 5 Nos. spur due to river closed to 3000 m. Tarael and country side village. Savee Maly
									3.00 to 3.71 Km.	14.40	1.5:1	4.50		2 Nos. bed bar & Embkt. Packing required.	

69	Baikuda Niali TRE	2.239	2.239	Brahmani	Kelua	Jajpur	0.0 to 1.00 Km.	14.40	1.5:1	5.50			Launching & packing for 300 M. with Embkt. Packing
							1.00 Km to 2.239 Km.	14.20	1.5:1	5.50	Packing 400 M. near sluice & 1.00 Km. to 1.10 Km. to 1.70 Km. to 2.00 M.	2 Nos. bedbar RD 1350 M. & 1410 M.	Launching & packing for a length of 1.20 Km. with spur 5 nos due to river closed to embankment.
70	Niali Haladharpur	8.00	8.00	Mahanadi & Brahmani	Kelua & Birupa	Jajpur	0.0 to 1.00 Km	13.90	1.5:1	4.00	00 to 0.30km	2 Nos. RD.300 M. to 605 M.	Embankment packing 1.00km to 1.300 km
							1.00 to 2.00 Km.	13.65	1.1:5	4.00			Embankment packing 1.00km to 1.300 km
							2.00 to 3.00 Km.	13.25	1.1:5	4.00			Embkt. Packing for 1.00 Km.
							3.00 to 4.00 Km.	12.85	1.5:1	4.50	3.50 to 3.70		3 nos spur 3.40 to 3.60 Km
							4.00 to 5.00 Km.	12.50	1.5:1	5.00	650 M from RD.4.200 to 4.850 Km.		350 M. Embkt. Packing
							5.00 to 6.00 Km.	12.30	1.5:1	5.00	900 M from RD 5.10 to 6.00 Km.		
							6.00 to 7.00 Km.	11.90	1.5:1	5.00	400 M from RD 6.00 to 6.400 Km.		2nos. Spur 3.80 to 4.80 Freeboard<1.20 m
							7.00 to 8.00 Km.	11.50	1.5:1	4.50	7.950 to 50m 8.00 & 7.50 M. to 7.60 M		3 nos.spur 7.30 to 7.50 Freeboard<1.20 m
71	Kampagarh Patkpur TRE on Birupa left	4.61	4.61	Mahanadi	Birupa	Jajpur	0.0 to 1.00 Km.	11.00	1.5:1	3.60	00 M to 600 M.		3 nos spur Freeboard<1.20 m
							1.00 to 2.00 Km.	11.25	1.5:1	5.50	350 M from RD 1.00 to 1.350 Km.		
							2.00 to 3.00 Km.	11.00	1.5:1	5.00	Packing from 2.00 to 3.00 Km. right side		3 Nos. bed bar required

								3.00 to 4.00 Km.	10.75	1.5:1	5.00			River side ditch filling required
								4.00 to 4.61 Km.	10.60	1.5:1	4.00			Embkt. Packing 5 Nos. spur required
72	Palatpur to Mahakalapada TRE		4.41	4.41	Mahanadi	Birupa	Jajpur	00 to 1.8 Km.	9.00	1.5:1	5.50	RD 0.70 to 1.8 Km.	8 Nos damaged Bed bar with launching from RD 2.1 to 2.7 Km.	Required under 10 nos of spur
								1.8 to 2.7 Km.	9.00 to 8.50m	1.5:1	4.00			Embkt. Raising & strengthening required due to less TBL
								2.7 to 4.41 Km.	9.00 to 9.70m	1.5:1	5.50			Embkt not completed due to Land dispute
73	Mitrapur Rampur TRE on Brahmani right		2.00	2.00	Brahmani	Brahmani	Jajpur	00 to 0.70 Km.	9.2		3.00			Embkt. Could not constructed due to land dispute
								0.70 to 1.3 Km	11.00	1.5:1	5.00			
								1.30 to 1.5 Km.	11.00	1.5:1	5.00			
								1.5 to 2.00 Km.	11.00	1.5:1	5.00			
74	Mandari Serapur TRE on Brahmani Right		5.33	5.33	Brahmani	Brahmani	Jajpur	00 to 2.0 Km.	11.2	1.5:1	5.00			5 Nos. 6500 M. 1580 M. to 1650 M. 1 No. 1720 M.
								2.00 to 2.4 Km	10.00	1.5:1	4.00			
								2.0-4.00km	11.2	1.5:1				
								4.0 to 5.33 Km.	11.1	1.5:1	4.00			
75	Saiaa Bhagirathpur TRE on Br. Left		1.00	1.00	Brahmani	Brahmani	Jajpur	00 to 1.00 Km.	23.3	1.5:1	4.0			
								1.00 to 2.042 Km.	20.1	1.5:1	1.5			
76	Jenapur College Gherry		0.333	0.333	Brahmani	Brahmani	Jajpur	00 to 0.333 Km.	23.63 to 22.17	1.5:1	1.5			
77	Kabatabandha Gherry		0.400	0.400	Brahmani	Brahmani	Jajpur	00 to 0.400 Km.	24.18	1.5:1	1.5			
78	C E No. 26A on Brahmani Right from Gokarneswar to Mundabal		9.58	9.58	Brahmani	Brahmani	Jajpur	00 to 9.58 Km.	21.1	1.5:1	5.00			

79	Rahapada Mohanpur OAE	5.497	5.497	Brahmani	Kelua	Jaipur	00 to 5.497 Km.	19.5	1.5:1	5.00		8 nos spur	
80	Jaharighai TRE	2.239	2.239	Brahmani	Brahmani	Jaipur	00 to 0.54 Km.	11.5	1.5:1	2.00			
							0.54 to 1.750 Km	11.00	1.5:1	4.00	1.40 Km. to 1.750 Km.	8 NOS. damaged	Renovation of spurs required
81	Votaka Masudpur TRE on Chhinda-Kharasuan Left	10.00	10.00	Brahmani	Chhinda	Jaipur	00 to 10.00 Km.	18.5	1.5:1	3.00			Required packing near approach of pile bridge.
82	Kusei right flood embankment	9.96	9.96	Battarani	Kusei	Jaipur	00 to 9.96 Km.	32.2	1.5:1	5.00	240M near Harikansa	4 NOS. damage bed bars	Required Launching & packing with bedbars.
		41,130	126,988	181,441						349,559			

Note:-Special drive such as watch & ward ,night patrolling of 9(nine)vulnerable points of flood embankments will be taken by this department during flood.

M. D. D.
27/4/22
Assistant Executive Engineer
Bari Irrigation Sub-Division

S. S. S.
27/4/22
Assistant Engineer
Jokadia Irrigation Section
Jokadia

S. S. S.
27/4/22
Assistant Executive Engineer
Chandikholes Irr. Sub-Division
Assistant Engineer
Jund Irrigation Section
Jenapur Irrigation Section
Jenapur

S. S. S.
27/4/22
Assistant Engineer
Kokpur Irrigation Section

S. S. S.
27/4/22
Assistant Executive Engineer
Jarakta Irrigation Sub-Division

S. S. S.
27/4/22
Superintending Engineer
Jarakta Irrigation Division
JARAKTA

S. S. S.
27/4/22
Tahasildar
Rasulpur

S. S. S.
27/4/22
ADDITIONAL TAHASILDAR
DHPARMAASALA

S. S. S.
27/4/22
Additional Chief Engineer,
Eastern Circle-4, Chandikholes

S. S. S.
27/4/22
Addl. Tahasildar
JAJPUR

S. S. S.
27/4/22
TAHASILDAR
DARFAN

S. S. S.
27.04.2022
TAHASILDAR
BARI

S. S. S.
27/4/22
Addl. Tahasildar
Vyasanagar
Jaipur Road

S. S. S.
27/4/22
Tahasildar, Danasadi

S. S. S.
27/4/22
COLLECTOR
JAJPUR